

## Publikationer 2006

**Andersen M.** Is it possible to measure prescribing quality using only prescription data? *Basic Clin Pharmacol Toxicol* 2006;98:314-9.

**Bjerrum L, Andersen M, Hallas J.** Antibiotics active against Chlamydia do not reduce the risk of myocardial infarction. *Eur J Clin Pharmacol* 2006;62:43-9 (online publication December 2005).

**Dybdahl T.** Diffusion of new drugs into general practice. Three pharmaco-epidemiological studies. København: Månedsskrift for Praktisk Lægegering, 2006 (ISBN 87-88638-34-0).

Gichangi A, **Andersen M, Kragstrup J, Vach W.** Analysing duration of episodes of pharmacological care: an example of antidepressant use in Danish general practice. *Pharmacoepidemiol and Drug Safety* 2006;15:167-77 (online publication November).

Hallas J, **Støvring H.** Analytic templates for analysing individual-level prescription data. *Basic Clin Pharmacol Toxicol* 2006;98:260-5.

**Jarlbæk L, Hallas J, Kragstrup J, Andersen M.** Cancer patients' first treatment episode with opioids: a pharmaco-epidemiological perspective. *Supportive Care in Cancer* 2006;14:340-7 (online publication 27 September 2005).

**Kildemoes HW, Christiansen T, Gyrd-Hansen D, Kristiansen IS, Andersen M.** The impact on ageing on future Danish drug expenditure. *Health Policy* 2006;75:298-311.

**Kristiansen IS.** Alkoholskadet statistikk? *Tidsskr Nor Lægeforen* 2006;126:481.

**Larsen J.** Lipid-lowering drugs: Pharmacoepidemiological studies of prescription patterns in general practice. In: *Cholesterol in Atherosclerosis and Coronary Heart Disease*. Editor: Jean P. Kovalá. New York: Nova Biomedical Books, 2005. pp. 157-85.

**Søndergaard J, Foged A, Kragstrup J, Gaist D, Gram LF, Sindrup SH, Schaffalitzky de Muckadell HU, Larsen BO, Herborg H, Andersen M.** Intensive community pharmacy intervention had little impact on triptan consumption: A randomized controlled trial. *Scand J Prim Health Care* 2006;24:16-21.

**Søndergaard J, Hansen DG, Aarslev P, Munck AP.** A multifaceted intervention according to the APO method improved secondary prevention of ischemic heart disease: A randomised controlled trial. *Fam Pract* 2006;23:198-202 (published online October 2005).

**Andersen M, Kragstrup J, Søndergaard J.** How conducting a clinical trial affects physicians' guideline adherence and drug preferences. *JAMA* 2006;295:2759-64.

**Bjerrum L, Cots JM, Llor C, Molist N, Munck A.** Effects of intervention promoting a reduction in antibiotic prescribing by improvement of diagnostic procedures: a prospective, before and after study in general practice. *Eur J Clin Pharmacol* 2006; published online September.

**Buusman A, Kragstrup J, Andersen M.** Narrow and wide prescribers among general practitioners. A cohort study of drug formularies used for new treatments. *Eur J Clin Pharmacol* 2006;62:577-83.

**Christensen PM, Kristiansen IS.** Number-Needed-to-Treat (NNT) – needs treatment with care. *Basic Clin Pharmacol Toxicol* 2006;99:12-6.

**Jarbøl DE, Kragstrup J, Støvring H,** Havelund T, Schaffalitzky de Muckadell OB. Proton pump inhibitor or testing for *Helicobacter Pylori* as the first step for patients presenting with dyspepsia? A cluster-randomized trial. *Am J Gastroenterol* 2006;101:1200-8.

**Jarbøl DE,** Bech M, **Kragstrup J,** Havelund T, Schaffalitzky de Muckadell OB. Economic evaluation of empirical antisecretory therapy versus *Helicobacter pylori* for management of dyspepsia: A randomized trial in primary care. *Int J Technol Assess in Health Care* 2006;22:362-71.

**Kristiansen IS,** Gyrd-Hansen D, **Nexøe J,** Nielsen JB. Willingness-to-pay for a population program aimed at reducing dietary salt in Denmark. *Preventive Medicine* 2006;43:31-5.

Muscat M, Monnet DL, Klemmensen T, Grigoryan L, Jensen MH, **Andersen M,** Haaijer-Ruskamp FM. Patterns of antibiotic use in the community in Denmark. *Scand J Infect Dis* 2006;38:597-603.

Thomsen JL, **Jarbøl D, Søndergaard J.** Excessive workload, uncertain career opportunities and lack of funding are important barriers to recruiting and retaining primary care medical researchers: a qualitative interview study. *Fam Pract* 2006;23:545-9.

Tsiropoulos I, **Gichangi A, Andersen M, Bjerrum L,** Gaist D, Hallas J. Trends in utilization of antiepileptic drugs in Denmark. *Acta Neurol Scand* 2006;113:405-11.

Wisløff TF, Abrahamsen TG, Bergsaker MAR, Løvoll Ø, Møller P, Pedersen MK, **Kristiansen IS.** Cost effectiveness of adding 7-valent pneumococcal conjugate (PCV-7) vaccine to the Norwegian childhood vaccination program. *Vaccine* 2006;24:5690-9.

**Aabom B, Kragstrup J,** Vondeling H, Bakketeig LS, **Støvring H.** Does persistent involvement by the GP improve palliative care at home for end-stage cancer patients? *Palliat Med* 2006;20:507-12.

**Andersen M, Kragstrup J, Søndergaard J.** Hvordan medvirken i et klinisk kontrolleret forsøg påvirker lægers behandlingsvalg. *Ugeskr Læger* 2006;168:3987-91.

Arana A, Varas C, Gonzales-Perez A, Gutierrez L, **Bjerrum L,** Rodriguez LAG. Hormone therapy and cerebrovascular events: a population-based nested case-control study. *Menopause* 2006;13 (published online).

**Buusman A.** Drug formularies in general practice. Pharmacoepidemiological and qualitative studies. Ph.d.-afhandling. København: Månedsskrift for Praktisk Lægegering, 2006.

Eland IS, Sundström A, Velo GP, **Andersen M**, Sturkenboom MCJM, Langman MJS et al. for the EDIP Study Group of the European Pharmacovigilance Research Group. Angiotension converting enzyme inhibitors are associated with an increased risk of acute pancreatitis. The European case-control study on drug-induced acute pancreatitis (EDIP). *Scand J Gastroenterol*, published online 5 June.

**Gichangi A**. Analysing episodes of pharmacological care using prescription databases. Ph.d.-afhandling. Odense: Syddansk Universitet, 2006.

Grinsted P, **Vach K**, **Kragstrup J**, Bindslev-Jensen C. Priktest af patienter med høfeber i almen praksis sammenlignet med i specialambulatorium. *Ugeskr Læger* 2006;168:3903-5.

Hallas J, Dall M, Andries A, Andersen BS, Aalykke C, Hansen JM, **Andersen M**, Lassen AT. Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. *BMJ* 2006;333:726.

**Kristiansen IS**, Gyrd-Hansen D. Communicating treatment effectiveness in the context of chronic disease processes. *Expert Rev Pharmacoeconomics Outcomes Res* 2006;6:673-9.

Llor C, Cots JM, Molist N, Boada A, Bayona C, **Bjerrum L**. Reduction in the prescription of antibiotics in pharyngoamygdalitis and sinusitis by means of an audit. (In Spanish). *Aten Primaria* 2006;38:304-5.

Lofthus CM, Osnes EK, Meyer HE, **Kristiansen IS**, Nordsetten L, Falch JA. Young patients with hip fracture: A population-based study of bone mass and risk factors for osteoporosis. *Osteop Int* 2006;17:1666-72.

**Rasmussen HMS**, **Søndergaard J**, Sokolowski I, Kampmann JP, **Andersen M**. Factor analysis improves the selection of prescribing indicators. *Eur J Clin Pharmacol*, published online 6 October.

Wisløff TF, Abrahamsen TG, Bergsaker MAR, Løvøll Ø, **Kristiansen IS**. Vaksinerer – er det verdt pengene? *Tidsskr Nor Lægeforen* 2006;126:2670-3.

Zito JM, Tobi H, de Jong L, Fegert J, Safer D, Jahnsen K, **Hansen DG** et al. Antidepressant prevalence for youths: a multi-national comparison. *Pharmacoepidemiology Drug Saf* 2006;15:793-8.

**Åbom B**. Factors of importance for organising palliative care at home. Ph.d.-afhandling. København: Månedsskrift for Praktisk Lægegering, 2006.